


# K-Factor Deviation Changes Made Report

Last Modified on 01/20/2026 3:01 pm EST

The K-Factor Deviation Changes Made report is located at *Main Menu / Management Reports / Exception Report Menu / K-Factor Deviation Changes Made* and is designed to display if changes are actively being made based on the Deviation report.

1. Input *Journal / Change Date* information along with the *Cust Types* to be reviewed.



Division  ABC PROPANE COMPANY

to

Journal / Change Date  to

Tank Type1

Tank Type2

Location  0 for All

(Leave blank for ALL) Cust Type  RESIDENTIAL

Video

Printer

Use Default Printer

Excel

Prompt for Printer

Print Cancel

2. Select *Excel* as the output to display the information and choose **Print**.

3. A CSV file will appear to show if the items that display on the K-Factor Deviation reports are being adjusted.

K-Deviations Actions																	
K-Deviations Date Range: 09/01/2019 - 09/07/2019																	
Division Range: 1 CHS HERMAN - 9999:ABC Propane																	
Customer Types: 1																	
Location: 0																	
Tank Type 1: P PROPANE																	
Tank Type 2:																	
43 Total Deliveries in K-Deviations																	
4 Changes to K-Factor																	
0 Changes to Daily Use																	
0 Changes to Delivery Type																	
4 Total Changes																	
Customer#	Name	Tank RRN	Customer Type	Delivery/Change Date	Change Time	Total Capacity	Daily Use	Actual K-Factor	Calculated K-Factor	Previous K-Factor	Changed K-Factor	Previous Daily Use	Changed Daily Use	Previous Del Type	Changed Del Type	User Who Changed	
33610E		20813	1	9/4/2019		500	0	4.9	2.71								
33611Z		20820	1	9/4/2019		500	0	5	3								
40036E		16408	1	9/4/2019		500	0	32.09	27.74								
40070Z		16577	1	9/3/2019		250	0	27.18	19.29		27.18	23.23				BOB	
40070Z		16577	1	9/4/2019	15:17:32												
40121C		20155	1	9/3/2019		500	0.53	12.26	32.81							BOB	
40121C		20155	1	9/4/2019	15:13:54						12.26	10					BOB
40139E		16075	1	9/3/2019		250	0	22.39	27.25								
40170Z		16357	1	9/3/2019		500	0	7.1	8.41								
40170Z		16832	1	9/3/2019		500	0.15	18.56	39.32								
40296E		17214	1	9/3/2019		500	0	10.66	13.13								
43129C		16831	1	9/3/2019		325	0.75	12.57	36.98								

In this example, two tanks were adjusted based on the Delivery Date range. This shows what the Actual K-Factor

changed to and to what the End User modified the K-Factor.

The report also indicates if Daily Use was added or modified as well as if Delivery Types were changed.

It is important to keep in mind that if there is no indication that the Deviation was addressed, it could simply be an indicator that the End User has decided to allow the change based on information gathered during the review process.